Date:

Wednesday, 3/8/2006 11:50:57 AM

Linda Lacelle

### **Process Sheet**

Customer

: CU-DAR001 Dart Helicopters Services

Job Number **Estimate Number** 

: 26159

: 11203

P.O. Number

:NIA

This Issue Prsht Rev.

First Issue

**Previous Run** 

: NC

: M/A : 25888

: 3/8/2006

S.O. No. : N/A

: SMALL /MED FAB

COMMENT BELOW

Written By Checked & Approved By

Comment

New Issue 05-12-05

**Project Number Drawing Revision** 

Material **Due Date** 

**Drawing Name** 

: D31955 **Part Number Drawing Number** 

: D3195 REV A

: N/A

: PAD

:NIA

: 3/15/2006

Qty:

40 Um:

Each

**Additional Product** 

Job Number:



Seq. #:

Machine Or Operation:

Description: Neoprene 1/8" thick

1.0

D3195

Comment: Qty.: 0.0099 sf(s)/Unit Total:

Make from D3195 Neoprene 1/8" thick

Material:Neoprene 1/8" thick Batch: 3 5 7

SMALL & MEDIUM FAB RESOURCE 1

0.3948 sf(s)

Comment: SMALL & MEDIUM FAB RESOURCE 1

Cut & Punch as per Dwg D3195

QC5

INSPECT WORK TO CURRENT STEP

Comment: INSPECT WORK TO CURRENT STEP

4.0

3.0

2.0

PACKAGING 1

PACKAGING RESOURCE #1

Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: ( -

5.0 DC DOCUMENT CONTROL

Comment: DOCUMENT CONTROL

Inspection Level 21

06/64/04

06/03/03

Job Completion




a obed-of

W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
							·			
•										
			i							
-										

						:
Part No:	PAR #:	Fault Category: _	 NCR: Yes	No DQA:	_ Date:Œ	<u> </u>
	•		QA: I	N/C Closed:	_ Date:	

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification	Approval	Ammerical
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
	-							
		•			:		i	
								1



### D3195-5 & D3195-7 PAD

- 1) MATERIAL: 60 DUROMETER NEOPRENE 1/8" THICK (POSSIBLE SUPPLIERS, ACCURATE RUBBER)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 3) ALL DIMENSIONS ARE IN INCHES

Copyright © 2003 by DART AEROSPACE LTD

D3195-7 PAD

W/O:		WORK ORDER CHA	ANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					-		
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:	


Part No:	PAR #:	Fault Category:	NCR: Yes	No	DQA:	Date: _	
			QA: I	N/C C	losed:	Date: _	

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Verification	Approval	A		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector





DESIGN	DRAWN BY		ROSPACE LTD by, ontario, canada
CHECKED	APPROVED	DRAWING NO.	REV. A
#	9	D3195	SHEET 2 OF 3
DATE		TITLE	SCALE
03.06.23		BRACKET	1:1



#### D3195-1 BRACKET

- 1) MATERIAL: 6061-T6/T651 (QQ-A-250/11 OR QQ-A-200/8 OR QQ-A-225/8) (REF. DART SPEC M6061T6S OR M6061T6B)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

Copyright © 2003 by DART AEROSPACE LTD


W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
<u>.</u>										
Part No		PAR #: Fault Category:	NCD: Vac	No DO	۸.	Date:				


Part No:	PAR #: 1	Fault Category:	NCR: Yes No DQA:	Date:
			QA: N/C Closed:	Date:
NCR:	WOF	RK ORDER NON-CONFO	RMANCE (NCR)	
		Corrective Action	Section B	

NCK.	CN.							
, , , , , , , , , , , , , , , , , , , ,		Description of NC Corrective Action Section B				Verification	Ammenal	Ammerical
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector



DESIGN (A)	DRAWN BY		ROSPACE LTD JRY, ONTARIO, CANADA		
CHECKED	APPROVED A	DRAWING NO.		REV.	Ī
4	4	D3195	SHEET	3 OF 3	5
DATE		TITLE		SCAL	:
03.06.23		BRACKET		1:	1





### D3195-3 BRACKET

- MATERIAL: 6061-T6/T651 (QQ-A-250/11 OR QQ-A-200/8 OR QQ-A-225/8) (REF. DART SPEC M6061T6S OR M6061T6B)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
  3) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
  4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
							·		

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
			QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
DATE STEP	Description of NC		Corrective Action Section B			Annroyal	Ammoural				
	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector				
							•				
								1			
		,									
					1						
					1						